













6. Irizarry MC, Gurol ME, Raju S, Diaz-Arrastia R, Locascio JJ, Tennis M, Hyman BT, Growdon JH, Greenberg SM, Bottiglieri T(2005). Association of homocysteine with plasma amyloid beta protein in aging and neurodegenerative disease. *Neurology*. 65(9):1402-1408.
7. Kruman II, Kumaravel TS, Lohani A, Pedersen WA, Cutler RG, Kruman Y, Haughey N, Lee J, Evans M, Mattson MP(2002). Folic acid deficiency and homocysteine impair DNA repair in hippocampal neurons and sensitize them to amyloid toxicity in experimental models of Alzheimer's disease. *J Neurosci*. 22(5): 1752-1762.
8. Leventhal, H., Diefenbach, M., & Leventhal, E. A. (1992). Illness cognition: using common sense to understand treatment adherence and affect cognition. Special issue: Cognitive perspectives in health psychology. *Cognitive Therapy and Research*, 16(2), 143-163.
9. Malaguamera M, Ferri R, Bella R, Alagona G, Camemolla A, Pennisi G.(2004). Homocysteine, vitaminB12 and folate in vascular dementia and in Alzheimer disease. *ClinChem Lab Med*, 42:1032-5.
10. Shah, Y., Tangalos, E. G., & Peterson, R. C.(2000). Mild cognitive impairment. When is it a precursor to Alzheimer's disease?. *Geriatrics*, 5(9), 62, 65-68.
11. Vogel T, Dali-Youcef N, Kaltenbach G, Andres E(2009). Homocysteine, vitamin B12, folate and cognitive function: a systematic and critical review of the literature. *Int Clin Pract*, 63:1061-7.