

Fig. 2 shows the detail number of nodes alive after each round, and the result is consistent with the analysis above.

5 Conclusion

This paper exploited a novel and efficient data gathering algorithm called GBP-MSSN which is based on wireless Sensor Networks with single Mobile Sink (MSSN). Simulation results reveal that GBP-MSSN outperforms other algorithms.

References

1. Zhongmin Pei, Zhidong Deng, Bo Yang, and Xiaoliang Cheng, "Application-oriented wireless sensor network communication protocols and hardware platforms: A survey," *Industrial Technology*, 2008. ICIT 2008. IEEE International Conference on , pp.1-6, 21-24 April 2008
2. Heinzelman, W.R., Chandrakasan, A., and Balakrishnan, H., "Energy-efficient communication protocol for wireless microsensor networks," *System Sciences*, 2000. Proceedings of the 33rd Annual Hawaii International Conference on , vol.2, 4-7 Jan. 2000
3. Song, L.. and Hatzinakos, D., "Architecture of Wireless Sensor Networks With Mobile Sinks: Sparsely Deployed Sensors," *Vehicular Technology, IEEE Transactions on* , vol.56, no.4, pp.1826-1836, July 2007
4. Konstantopoulos, C., Pantziou, G. and Gavalas, D.; Mpitzopoulos, A. and Mamalis, B., "A Rendezvous-Based Approach Enabling Energy-Efficient Sensory Data Collection with Mobile Sinks," *Parallel and Distributed Systems, IEEE Transactions on* , vol.23, no.5, pp.809-817, May 2012
5. Y. Bi, L. Sun, J. Ma, N. Li, I.Khan, and C. Chen, "Hums: An autonomous moving strategy in data gathering sensor networks," *Journal On Wireless Communication and Networking*, 2007
6. J. Luo and J. Hubaux, "Joint mobility and routing for lifetime elongation in wireless sensor networks," *INFOCOM 2005*, pp1735-1746, 2005