



Fig. 1. Average end-to-end delay

Acknowledgments. "This research was supported by the MSIP (Ministry of Science, ICT and Future Planning), Korea, under the CITRC (Convergence Information Technology Research Center) support program (NIPA-2014-H0401-14-1008) supervised by the NIPA (National IT Industry Promotion Agency)"

References

1. Akyildiz, I. F., Su, W., Sankarasubramaniam, Y., Cayirci, E.: Wireless sensor networks: a survey. *Computer networks*, vol. 38, no. 4, pp. 393--422 (2002)
2. Akyildiz, I. F., Melodia, T., & Chowdhury, K. R.: A survey on wireless multimedia sensor networks. *Computer networks*, vol. 51, no. 4, pp. 921--960 (2007)
3. Shah, G. A., Liang, W., & Akan, O. B.: Cross-layer framework for QoS support in wireless multimedia sensor networks. *Multimedia, IEEE Transactions on*, vol. 14, no. 5, pp. 1442--1455 (2012)
4. Hamid, Z., Bashir, F., Pyun, J. Y.: Cross-layer QoS routing protocol for multimedia communications in sensor networks. In: *Ubiquitous and future networks (ICUFN), 2012 fourth international conference on*, pp. 498--502. IEEE Press (2012)
5. Aghdasi, H. S., Abbaspour, M., Moghadam, M. E., Samei, Y.: An energy-efficient and high-quality video transmission architecture in wireless video-based sensor networks. *Sensors*, vol. 8, no. 8, pp. 4529--4559 (2008)
6. Shah, R. C., Rabaey, J. M.: Energy aware routing for low energy ad hoc sensor networks. In: *Wireless Communications and Networking Conference (WCNC2002)*, vol. 1, pp. 350--355, IEEE Press (2002)
7. Jang, Y. J., Bae, S. Y., Lee, S. K.: An energy-efficient routing algorithm in wireless sensor networks. In: *Future Generation Information Technology. LNCS*, vol. 7105, pp. 183--189. Springer Berlin Heidelberg (2011)