

A Survey on Micro-grid Distributed Generating Control Strategy

Qishun Zhu¹, Jinsong Liu², Minghao Zhang³, Xin Sun²

¹Shenyang Institute of Engineering, Shenyang, China

²Electric Power Research Institute, State Grid Liaoning Electric Power Supply Co. Ltd.,
Shenyang China

³Branch of Electric Power Transformation, Liaoning State Grid Electric Power
Transmission & Transformation Engineering Company
liu.jinsong@163.com

Abstract. With the continuous development of economy and social progress, the social requirement of power network is more and more high. This paper, as a basis research of distributed generation, proceed mainly from the impact of distributed generation on power grid, detailed fine analysis of the influence of all kinds of distributed generation on power network adverse, including power system stability, power quality, power supply reliability effect. In order to avoid these adverse effects, we combining the distributed grid technology and smart micro grid, put distributed generation as a branch of the micro grid that can be ideal to connect grid and can avoid most of the problems mentioned above.

Keywords: network, distributed generation, grid technology, micro grid

1 Introduction

Distributed generation (DG) refers to power in the range of tens of kilowatts to tens of megawatts, modular, distributed load near the clean and green power generation facility to the economic, efficient and reliable power generation. Distributed generation is different from the traditional centralized power generation, long-distance transmission, power generation in the form of large interconnected networks [1].

The advantages of distributed generation that can fully develop and utilize the various available dispersed energy sources, including fossil fuels and renewable energy can be conveniently obtained locally, and improve energy efficiency.

Distributed power supply usually accesses the medium or low voltage distribution system, and will have a far-reaching influence on distribution system. Traditional distribution system is designed only with the function of the distribution of electricity to the end of user, and the future distribution system is expected to evolve into a media of exchanging power, it can collect power and transmit them to any place, and distribute them at the same time. Therefore, in the future it may not be a distribution system but a power delivery system. Distributed generation has the characteristics of

dispersion and randomness, access to a large number of distributed powers, will greatly influence the safe and stable operation of power distribution system [2].

Traditional distribution system analysis methods, such as the power flow calculation, state estimation, reliability evaluation, fault analysis and restore the power supply and so on, are due to varying degrees by the impact of distributed generation and the need to improve and perfect[3-6].

Around the world, the country of the higher energy efficiency and better environmental protection keener support for the development and application of distributed energy source technology, and support policy more clearly. Such as Denmark, Holland, Japan on distributed power Sources have taken a series of policies to encourage; after "911 incident", taking into account the power security, the developed countries accelerate the pace of construction of distributed power, so far, Britain has more than 1000 seat distributed power station, even the queen of England's Buckingham Palace, Prime Minister of the 10 Downing Street residence, all use of gas turbine distributed energy Station; the United States has more than 6000 seats distributed power station, there are more than 200 seats distributed energy station in university campus. In the many countries, Denmark is by the worlds recognized the model, to realize the sustainable development of the country. Over the past 20 years, Denmark's GDP over one time, but the energy consumption is not increased, environmental pollution has not increased, and the secret lies in the Danish actively the development of cold, Heat and electricity cogeneration, advocate scientific use of energy, support distributed energy, by enhancing the development efficiency of energy use in support of national economy. At present, Denmark did not have a thermal power plant is not heating, nor a heating boiler room is not power, they put the production of cold, heat and electricity become high-tech cogeneration of cold, heat and power, so that science and technology become true positive productivity.

Overall, the distributed energy system research in advanced western countries has achieved fruitful results, the research field of distributed energy systems from a single run to just the rise of distributed energy systems and near join a large grid, has extensive experience in distributed energy system operation. While in China, the research of the distributed energy system is still in its early stages, the large-scale use of distributed energy system is still a long way to go. Domestic on research of the independent operation of the distributed energy system research much more, mainly the economic evaluation and the evaluation standard of distributed energy system with various grid.

2 Classification and energy forms of distributed generation

(A) Distributed generation technologies based on fossil fuel

Reciprocating engine technology: reciprocating engine using distributed generation use fire or compression ignition of four stroke point, with gasoline or diesel oil as fuel, is distributed generation method by being used widely at present. But this approach will have an impact on the environment, recently by improving on its technology, has greatly reduced the noise sound and the exhaust emission pollution.

Micro gas turbine technology: micro gas turbine is ultra small gas turbine referring to the power of below hundreds of kilowatts and natural gas, methane, gasoline, diesel oil as fuel. But the efficiency of micro gas turbine is low compared with other power generation technology. The efficiency of the full load operation is only 30%, while in the half load operation, its effect rate is only 10% ~ 15%, so the current use of domestic cogeneration way by using equipment of waste heat to improve its efficiency (up to 75% or even higher). The characteristics of micro gas turbine are small in size and weight .The implementation of cogeneration is light, high power generation efficiency, low pollution, easy operation and maintenance. It is one of the most mature and business competitiveness the distributed power supply. The key technology is mainly the high-speed bearing, high temperature materials, and parts processing etc.

Fuel cell technology: the fuel cell is an electrochemical device that can directly converts the chemical energy into straight current under isothermal state. Fuel cells work does not need to be burned, and no environmental pollution, its power is obtained by electrochemical process. In the anode through a hydrogen rich fuel, a cathode is above through the air, and put the separation of the two substances by electrolyte. In the process of obtaining electric energy, some of the by-product is only heat, water and Oxidation Carbon etc. Hydrogen fuel can be made of various hydrocarbon sources, under the pressure of steam reforming process or by the reaction of oxidation.

(B) The technology of hybrid-type distributed generation

An important direction is multi-objective generation energy supply systems of being mentioned thermo, electric, and cold, usually referred as the distributed energy supply system. In the production of electricity at the same time, it can also provide heat or satisfy heating and cooling requirements. Compared with the power supply system, distributed energy supply system can be integrated with energy cascade of science, thus greatly improving the energy efficiency of thermal economy and reducing environmental pollution, improve thermal economy of the system.

Cogeneration is 2 kinds of circumstances [6]:

Mainly for power generation, using a large capacity units, only a small part of utilization of waste heat, electricity into high voltage transmission network distribution, this should be attributed to the centralized power cogeneration;

To heat determine power, in the premise of satisfying certain heat load demand, to the construction of small heating unit, power digestion by the users themselves, or digestion in the local distribution network in the region.

(C) The technology of distributed generation based on renewable energy

Solar photovoltaic power generation technology: solar photovoltaic technology is using the photoelectric effect of optoelectronic semiconductor material that may directly convert solar energy into electric energy. Photovoltaic power generation has the advantage of no consumption of fuel, not subject to geographical restrictions, scale flexible, non pollution, safe and reliable, simple maintenance etc.. But the cost of this kind of distributed power generation technology is very high, so the solar power generation technologies need improvements in technology at the present stage, to reduce the cost suitable for wide application.

The wind power generation technology is generation technology by converting wind energy into electric energy power generation technology, as the wind power is

environmental protection and can be regeneration, the global feasible, low cost and the high scale benefit, has been more and more widely welcome, become the one of new energy of the fastest development. It can be divided into independent and grid connected operation, the former is micro or small wind power generation unit, capacity is 100W ~ 10kW, the capacity of the latter is usually more than 150kW, usually have more than one larger capacity wind turbine components of wind generator group, called the wind farm (also known as the wind field, wind field), with machine group of large-scale, centralized installation and control characteristics. In recent years, the wind power generation technology is making rapid progress; the technology of stand-alone capacity in the following 2MW has been very mature [7].

3 The adverse effects and solutions of grid connected distributed generation on power network

3.1 The adverse effects of grid connected distributed generation on power network

In recent years, the rapid development of distributed power supply, more and more application, in the enormous energy-saving effect at the same time, there are many bad phenomenons; the most prominent is the related problem of distributed power grid.

The main problems are as follows:

(A) Large changes of network structure

The distribution system will be a fundamental change: from a radiation type network into a throughout power and user interconnection network networks, somewhat similar to internet. The control and management of the distribution system will become more complex. The introduction of distributed generation will make the operation and planning of the traditional distribution network (such as reactive power compensation and voltage control) completely change; distribution automation and demand side management (DSM) also need to be reconsidered; distributed power between the control and scheduling must be coordinated and laws, regulations and industry standards associated with the distributed power supply also need to be properly formulated [8].

(B) Setting problem of distribution network relay protection device

The introduction of distributed power supply and uncertainty of the distribution network power flow will cause the distribution network voltage control trapped difficult, cause voltage flicker, lead to disoperation of relay protection, will also have a short circuit current of the power system, relay protection setting and operation value setting increased certain difficulty, need to solve the reliability problem, and especially is the coordination problem of relay protection. DG by 10 kV feeder access to distribution system, and the level of the match electric system generally uses 3 section current protections (instantaneous current quick break protection, timing and limiting current quick break protection, over current protection). DG access may lead

to reduce the sensitivity of the protection device, and even refused to move, may also lead induced protective device disoperation, and temporally adjacent line quick break protection device malfunction, lose selectivity.

(C) The introduction of a large number of harmonics, power quality decline

Distributed power grid, due to the large number of power electronic devices used in distributed power supply, so it cannot avoid Free to bring a large number of harmonics to the influence of the system, the harmonic amplitude and order by generating mode and working mode of the converter. At the same time, stability and voltage on the voltage waveforms have different degrees of impact.

(D) The influence of the static stability of power distribution network

Distributed power grid will produce the effect of static stability of the distribution network, the extent of influence depend on the different types of distributed power supply. For the use of asynchronous generator interface DG, grid connected have a negative effect on static voltage stability of the system, grid position is far from the most weak branch system, the negative impact is on the more small; for the synchronous generator without excitation of the DG interface and with the variable power control unit Heat exchanger as the interface of DG, grid can improve the static voltage stability of the system, grid position is closer to the line the most weak branch, is to improve static voltage stability of the system the more significant.

(E) Other problems

Distributed generation have the problem of covering, the efficiency and of meter. If a distributed power stations construct inside the city, the city is very crowded .Because energy is a two-way flow, such as results the roof installed solar energy, so the day no one is at home without electricity, the electric energy into the distribution network. So these conditions of the ammeter will record all. Now the foreign adoption meter bidirectional measurement. If we do this method, so a great deal of meter should be changed. The problem of efficiency, the efficiency of distributed generation can reach more than 80%, but sometimes can reach more than 60%. There are problems of environmental protection and fire safety problem [9].

3.2 The solution for grid connected distributed generation adverse effects

Distributed intelligent micro grid system uses variety of new energy supply, it is a comprehensive model of power electronic technology , distributed generation, renewable energy power technology and energy storage technology, the integration of multiple distributed generation units and loads as a separate power grid system, independent supply power to the load or with the city power supply power to the load by the wind light wood electronic system composed of distributed micro grid structure.

Mode of power supply: solar and wind power generation first storage, when the battery is full, solar and wind power automatic switch energy to grid connected power supply mode, and with an external power grid power to the load (Plant configuration of backflow prevention device). When external power grid appear failure or disaster, the micro grid system automatically cut off the external power grid, independent power supply mode automatic will start, by a diesel generator and battery device after the conversion of electric energy to control to the important load power supply.

With the development of power electronic technology, computer advanced control technology, communication technology is closely related to micro grid technology, the intelligent micro grid system contain with the following components.

(a) The master control platform. It can be achieved to realize the energy management platform of the whole system, using dual function of the system operation and display platform, is a management tool of intelligent micro grid autonomous operation.

(b) A variety of distributed power supply.

(c) More intelligent load user.

(d) The power network self-healing ability. Composing of a measuring device, a switching device and a communication device, it can realize the functions of fault location diagnosis and isolation, and automatic recovery of power supply.

(e) Reservation extensible interface.

Distributed generation will become the future of an important energy production, it will with micro grid and smart grid with the change in power system network structure and operation mode of low level, and the distributed intelligent microgram system based on intelligent power distribution network as a platform, the effective integration of distributed generation technology and micro network technology, play technology the advantage of them, i.e. the combination of advanced power electronic technology, will be a variety of distributed micro power supply, load, energy storage system and control device combined system unit composed of a single controlled, at the same time alone or with external power grid with the supply of electric power to the users.

4 Conclusion

The human production and life are increasingly troubled by the current energy crisis shadows, in order to solve this problem; people begin to pay attention to the new energy, distributed power supply. This paper, as a basis research of distributed generation, proceed mainly from the impact of distributed generation on power grid, detailed fine analysis of the influence of all kinds of distributed generation on power network adverse, including on power system stability, power quality, power supply reliability effect etc. In order to avoid these adverse effects, we combining the distributed grid technology and smart micro grid, put distributed generation as a branch of the micro grid that can be ideal to connect grid and can avoid most of the problems mentioned above.

References

1. Liang, Y. W. and Hu, Z. J.: Research Review of Distributed Generation and its Application in Power System. *Grid Technology*, 27, 71 (2003)
2. F. i. System Research on Uninterrupted Access on Distributed Power Substation. *The Relay*, 35, 13 (2007)

3. Liu, X. X.: Study on Mechanism of Distributed Power Supply System of Power Quality of Distribution. *Grid Technology*, 20, 21 (2009)
4. Chen, H. Y. and Chen, J. F.: Power Flow Calculation of Distribution Networks with Distributed Generation. *Automation of Electric Power Systems*, 30, 35 (2006)
5. Lei, Y. Z.: Studies on Wind Farm Grid. *Automation of Electric Power Systems*, 27, 84 (2003)
6. Shen, C. M. and Laughton, M. A.: A New Type of Power System, the Micro Grid (Microgrid) Research Review. *Proceeding of IEEE*, 117, 2117 (2009)
7. Sheng, J., Kong, L.: The Reliability Model of Electric Vehicle Driving Motor and Expected. *The Relay*, 35, 75 (2007)
8. Han, L.: Application of Photovoltaic Technology in Energy Saving Building. *Low Voltage Electrical Apparatus*, 2, 4 (2009)
9. Zheng, Z. H. and Ai, Q.: Consider the Distributed Environment Factors Multi-objective Optimal Allocation of Power. *Chinese CSEE*, vol. 29, 23 (2009)