

A Noble Integrated Management System based on Mobile and Cloud service for preventing various hazards

Yeo ChangSub¹, Ryu HyunKi¹ and Lee HaengSuk¹,

¹The GyeongBuk Research Institute of Vehicle Embedded Technology, GyeongBuk, Korea
{ycs6841, hkryu, hslee}@givet.re.kr

Abstract. In this paper, to take advantage of personalized black box service, we did design and implement a combination service using a user terminal and smart phone application, cloud server. This proposed system is to collect and analyze the individual's status information, it is possible to recognize a dangerous situation for users to inform the guardian or decided particular government department. To recognize dangerous situations, we are using various electronic sensors like magnetic gyro, GPS, short circuit sensor. Also, to predict future risk situations, we use a face detection method that based on digital image processing. So, it can be guaranteed to be secure before the crime incident.

Keywords: Dangerous situation, Personalized black box, Mobile, Cloud server.

1 Introduction

With the development of digital technology, the desire of users to record their lives has recently increased. Life logging devices and related technologies are developing as a result. Along with such trend, studies on services to improve safety and life quality in addition to simple logging are actively underway [1][2]. Among them, personalized black box life logging service can be applied in various fields that require personalized services such as crime prevention and ubiquitous computing environment. It can also be used for management of seniors demanding special care such as dementia patients and children, learning assistance in the field of education, and analysis of diseases using personal bio-information log. Related MyLifeBits [3] project of Microsoft is to construct a system that digitalizes and saves all of the information related to life of individuals, allowing users to easily search and browse information on the system. The main purpose of this project is to record information so it can be accessed when people want, which helps replace human memory. Another example of studies on life log is Stuff I've Seen (SIS) [4]. This system was developed for the goal of recording and reusing personal information. It records and doing index information about actions that occurs in desktop applications. It focuses on indexing and inquiry of saved information. Systems that recognize situations are being studied with a technology that determines the environment based on given context information, as well as a technology that transfers data using mobile devices at any place and time. Multi-modal interface can be regarded as a representative technology

[5]. In this paper, a system was designed and implemented so that daily activities of individuals can be recorded and traced using an exclusive device, recognizing information about what was said and done by the user, when and where to determine dangerous situations and informing such situations to a guardian or designated institution for crime prevention, accident monitoring and protection of the socially disadvantaged. For this purpose, a device based on 4G network (LTE) is manufactured and images obtained using the device are transmitted to a cloud server for analysis. Analyzed images are informed to a guardian or designated institution to avoid dangerous situations. Composition of this paper is as follows. Chapter 2 explains the mobile system proposed in this study to recognize dangerous situations based on cloud server. Chapter 3 explains details on the development of the proposed system, and Chapter 4 is a conclusion.

2 Design of Mobile System based on Cloud Server that Recognizes Dangerous Situations

This paper designed a structure in which camera attached to the user device is used to transmit image and voice data to the cloud server on a real-time basis, and dangerous areas and persons detected are informed to a guardian or designated institution. Fig. 1 shows the mobile system architecture based on cloud server that can recognize dangerous situations proposed in this paper.




Fig. 1. Mobile system architecture based on cloud server that can detect dangerous situations

Image and data are generated on the user convenience device and meta information including temporal and spatial information (GPS) of the image is transmitted to the cloud server, and the cloud server stores the collected image / voice data and position values in the optimal format. In addition, stored data are analyzed to detect dangerous areas and persons based on position information and inform the situation to a guardian or designated institution.

2.1 User Convenience Terminal Device Module

The device module includes a communication function for real-time transmission of data obtained by different sensors to the cloud server. The system power circuit was designed with consideration on stable output voltage, and the structure for measurement and dissipation of heat was enhanced. The memory interface circuit implemented an SDRAM interface for program data processing, and the camera interface circuit was designed to remove image signal noise. The software of the device used RTOS porting by modifying memory, IO, communication device and clock frequency according to hardware. Device driver preparation, analysis and control of communication protocol (Wi-Fi, LTE Modem), sensor and power controller, file system porting, TCP/IP stack porting and device API configuration were done. The main task was prepared by creating image and voice processing task frame. Fig. 2 shows hardware configuration of the device.




Fig. 2. H/W configuration of the device

2.2 Smart phone application

Important functions of the app include device setting, notice of dangerous situations, emergency call, situation monitoring, reception of position information, setting of dangerous areas, registration/authentication processing, and guardian registration. Fig. 3 shows software architecture of the smart phone app and application design configuration.



Fig. 3. Software architecture of smart phone app and design configuration

This round of checking takes place about two weeks after the files have been sent to the Editorial by the Contact Volume Editor, i.e., roughly seven weeks before the start of the conference for conference proceedings, or seven weeks before the volume leaves the printer's, for post-proceedings. If SPS does not receive a reply from a particular contact author, within the timeframe given, then it is presumed that the author has found no errors in the paper. The tight publication schedule of LNCS does not allow SPS to send reminders or search for alternative email addresses on the Internet.

2.3 Detection of Dangerous Persons using Face Recognition

The objective of this system is to register the DB on dangerous persons provided by the government as a library on the cloud server and to use face recognition technique for detection of risk factors and prevention of crimes. Also, block matching algorithm is used to correct images, and image stabilization technique based on bit plane matching shaking can be used to correct images that are shaken during daily activities. The Ada-boost algorithm was used as an algorithm for face classification. After sequentially generating classifiers, analysis data used observation values extracted from the performance of the previous classifier. Fig. 4 shows the test results for the face recognition algorithm created based on the methods presented above.



Fig. 4. Test results for the face recognition algorithm

3 Implement Result

Data collected by camera on the device are transmitted to the cloud server through wireless network on a real-time basis. Segments of image / voice and position values of the user are processed by restful open API call for optimal storage and management in the cloud server. The cloud server provides an external open API interface to analyze data and operate service module.

The cloud server manages image / voice information of the user for different situations as XML. When image / voice segments of the user are registered, the server receives the event by callback through the push manager and automatically links the

guardian to the corresponding image. Fig. 10 shows the inter-device scenario between the device and cloud server.

Connection request on the device can only be made on Android app, and registration and setting of the device are done after connection. Completion of device registration is informed when unique device value is returned. Once device registration is complete, sendEventFile is used to transmit a danger detection event with an image to the server and sendEvent is used to transmit a danger detection event without an image to the server. In addition, the device regularly sends image files to the server for face detection, as well as position information whenever position of the user is changed. Fig. 5 shows the screen in guardian mode and ward mode has a function that informs the user of danger through push message when the user enters a dangerous area.



Fig. 5. APP screen of guardian and ward mode

4 Conclusion

This system proposed in our paper transmits data from a personal device to a cloud server through wireless network on a real-time basis. The server analyzes and processes data to detect dangerous situations or persons and inform them to a guardian or designated institution. Primarily, the proposed system can prevent the user from exposure to dangerous areas and situations, and inform exposure to dangerous areas and situations to a guardian and designated institution for safety. The proposed system can additionally provide a monitoring function in various fields of application such as crime prevention, accident monitoring and protection of the socially disadvantaged.

Acknowledgments. This research was financially supported by the Ministry of Trade, Industry and Energy (MOTIE) and Korea Institute for Advancement of Technology (KIAT) through the Infrastructure Project for Industrial Technology Development (No. N0001156).

References

1. Sooyoun Park and SungIn Kim, "Usability Evaluation of Lifelogging Application on Mobile - Focused on Dayone Application and Memento Application," Korea Digital Design Council journal, vol.14, No.1, pp. 117-127 (Jan 2014)
2. Gong KiHyun, et, al., "A Lifelog System based on Context information," Journal of Computing Science and Engineering, Vol.36, No.1. 2009
3. Jim Gemmel, Gordon Bell, and Roger Lueder, "MyLifeBits: A personal Database for Everything", Communications of the ACM, Vol. 49, No. 1, January 2006
4. Susan Dumais, et, al., "Stuff I've Seen: A system for Personal Information Retrieval and Re-Use", SIGIR, 2003
5. Bok-Man Jang, et, al., "U-healthcare Context-Awareness Security Framework Using Multi-modal Interaction Agent," Journal of Security Engineering, Vol. 6, No. 5, pp.337-349, Oct 2009